S8920-2

Summary of Wyoming Vital Statistics 1982

Wyoming Division of Health and Medical Services

Vital Records Services

April, 1984

CONTENTS

	Page
Introduction	1
Definitions	4
Natality	7
Mortality	13
Marriage	22
Divorce	24

TABLES

Table		Page
1	Population by County, 1980, 1981, 1982	27
2	Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths, 1922-1982	28
3	Births and Rates by County of Residence, 1978-1982	29
4	Births by Sex, Race, and County of Residence, 1982	30
5	Births by Age of Mother, Race, and County of Residence, 1982	31
6	Births to Unmarried Mothers by Age of Mother, Race, and County of Residence, 1982	32
7	Low Weight Births with Percentages by County of Residence, 1978-1982	33
8	Births by Weight at Birth by County of Residence, 1982	34
9	Births by Live Birth Order by County of Residence, 1982	35
10	Births by Age of Mother by Live Birth Order, 1982	36
11	Births by Age of Mother by Trimester Prenatal Care Began, 1982	36
12	Births by Trimester Prenatal Care Began by County of Residence, 1982	37
13	Births by County of Occurrence, Attendant, and Place of Delivery, 1982	38
14	Deaths and Rates by County of Residence, 1978-1982	39

15 Deaths by Sex, Race, Age, and County of Residence, 1982 40

16 Deaths by Selected Cause and County of Residence, 1982 41

17 Leading Cause of Death by Age Group, 1982 42

18 Resident Deaths by Selected Cause and Age, 1982 43

19 Male Resident Deaths by Selected Cause and Age, 1982 44

20 Female Resident Deaths by Selected Cause and Age, 1982 45

21 Accidental Deaths Occurring in Wyoming by Age and Sex, 1982 46

22 Infant Deaths by Age and County of Residence, 1982 47

23 Infant and Neonatal Deaths with Five-Year Rates by County of Residence, 1978-1982 48

24 Resident Infant Deaths by Selected Cause and Age at Death, 1982 49

25 Stillbirths by County of Residence, 1978-1982 50

26 Births and Deaths by County of Occurrence, 1978-1982 51

27 Marriages and Rates by County of Occurrence, 1978-1982 52

28 Marriages by Month and County of Occurrence, 1982 53

29 Marriages by Age of Groom and Age of Bride, 1982 54

30 Marriages by Age and Previous Marital Status of Bride and Groom, 1982 55

31 Divorces and Annulments with Rates by County of Occurrence, 1978-1982 56

32 Divorces and Annulments by Duration of Marriage and County of Occurrence, 1982 57

33 Divorces and Annulments by Number of Children Affected and County of Occurrence, 1982 58

INTRODUCTION

Data in this report have been tabulated from birth, death, stillbirth, marriage, divorce and annulment records filed with Vital Records Services, and from transcripts of records from other states involving the death of a Wyoming resident or a birth to a mother who was a Wyoming resident. Although events are registered in the state in which they take place, the exchange of records between states allows the compilation of statistics by state and county of residence. Most of the birth and death information included here is by place of residence. Headings of individual tables specify resident or occurrence data. However, all marriage and divorce data is tabulated by the state and county in which the event occurred.

Tables include all events for which records were received in this office by April 15 of the year following the event. The number of events not included is small, and counts can be considered relatively complete.

Caution should be used in the interpretation of vital statistics rates which are based on a small population, or a small number of events. This is especially important when dealing with county rates. One or two events can make a substantial difference in these rates, causing them to vary considerably from year to year.

National rates quoted in this report were taken from the "National Center for Health Statistics Monthly Vital Statistics Reports". National natality data for 1982 and mortality data for both 1981 and 1982 are provisional.

Population estimates used in this report for 1981 and 1982 were developed by the Division of Research and

Statistics, Department of Administration and Fiscal Control, State of Wyoming.[1] Estimates are revised annually and those for 1981 differ from the estimates used in our previous report. Thus, population based rates for 1981 may differ from those previously published.

It should be noted that Wyoming's population is in general younger than that of the nation as a whole. Also there is a wide variation in the age of the population from county to county within the state. These differences in age structure must be taken into account when comparing crude vital statistics rates. Younger populations will tend to have higher crude birth rates and lower crude death rates than older ones. It is often necessary to compare age-specific or age-adjusted rates in order to eliminate this effect.

This report does not include all available tabulations. Additional data will be furnished upon request to Vital Records Services, Hathaway Building, Cheyenne, WY 82002.

[1]Wyoming Population and Employment Forecast Report, 6th Edition.


Population by Age Group
Wyoming and United States, 1980
Age Group
WY
U.S.
85+
.7
1.0
75-84
2.3
3.4
65-74
4.9
6.9
55-64
7.4
9.6
45-54
8.9
10.1
35-44
11.3
11.3
25-34
18.9
16.4
15-24
19.9
18.8
5-14
16.3
15.4
Under 5
9.6
7.2
0
5
10
15
20
25
Percent

DEFINITIONS

RESIDENCE DATA - data compiled on the basis of the place of residence of the decedent (deaths), or the place of residence of the child's mother (births, stillbirths).

OCCURRENCE DATA - data compiled on the basis of where the event actually occurred, regardless of the person's place of residence.

LIVE BIRTH - a birth that shows any sign of life after delivery.

LOW BIRTHWEIGHT - less than 2500 grams or 5 lbs. 8 ozs.

INFANT DEATH - death of a live born infant under one year of age.

NEONATAL DEATH - death of a live born infant under 28 days old.

MATERNAL DEATH - death of a mother caused by complications of pregnancy, childbirth or the puerperium.

STILLBIRTH (FETAL DEATH) - death taking place after 20 weeks gestation and before birth.

(CRUDE) BIRTH RATE - number of live births per 1,000 population.

$$\frac{\text{live births}}{\text{total population}} \times 1{,}000$$

OUT-OF-WEDLOCK RATIO - number of live births to unmarried women per 1,000 live births.

$$\frac{\text{live births to unmarried women}}{\text{live births}} \times 1{,}000$$

(CRUDE) DEATH RATE - number of deaths per 1,000 population.

$$\frac{\text{deaths}}{\text{total population}} \times 1{,}000$$

CAUSE-SPECIFIC DEATH RATE - number of deaths from a specific cause per 100,000 population.

$$\frac{\text{deaths from cause}}{\text{total population}} \times 100{,}000$$

INFANT MORTALITY RATE - number of infant deaths per 1,000 live births.

$$\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000$$

NEONATAL MORTALITY RATE - number of neonatal deaths per 1,000 live births.

$$\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000$$

MATERNAL MORTALITY RATE - number of maternal deaths per 10,000 live births.

$$\frac{\text{maternal deaths}}{\text{live births}} \times 10{,}000$$

STILLBIRTH RATIO - number of stillbirths per 1,000 live births.

$$\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000$$

MARRIAGE RATE - number of marriages per 1,000 population.

$$\frac{\text{marriages}}{\text{total population}} \times 1{,}000$$

DIVORCE AND ANNULMENT RATE - number of divorces and annulments per 1,000 population.

$$\frac{\text{divorces \& annulments}}{\text{total population}} \times 1{,}000$$

Live Birth Rates
Wyoming and United States
1955-1982



Number and Percentage of Births
by Age of Mother, Wyoming 1979-1982*

Age of Mother	1979		1980		1981		1982	
	No.	%	No.	%	No.	%	No.	%
Total	9,768	100.0	10,546	100.0	10,839	100.0	11,053	100.0
<15	10	0.1	15	0.1	3	0.0	15	0.1
15-17	467	4.8	522	4.9	465	4.3	429	3.9
18-19	1,023	10.5	1,096	10.4	1,133	10.5	1,085	9.8
20-24	3,862	39.5	4,147	39.3	4,200	38.7	4,198	38.0
25-29	2,957	30.3	3,142	29.8	3,319	30.6	3,433	31.1
30-34	1,147	11.7	1,269	12.0	1,371	12.6	1,486	13.4
35-39	263	2.7	293	2.8	309	2.9	353	3.2
40-44	36	0.4	59	0.6	37	0.3	48	0.4
45+	3	0.0	3	0.0	2	0.0	4	0.0

*Total for 1982 includes 2 births with age of mother not stated.

NATALITY

In 1983 there were 11,053 births to Wyoming residents. This was a record number of births for the state, but represented an increase of only 214 from the previous year. The estimated state population remained nearly constant, producing a slight increase in the birth rate. As can be seen in the accompanying graph, the large increases that occurred in the birth rate in the mid and late seventies have leveled off. The birth rate for 1982 was 22.5 births per 1,000 population, up slightly over the 1981 rate of 22.2, but equal to the rate for 1980.

The state rate for 1982 was 40.6% higher than the provisional national rate of 16.0. Calculation of age specific birth rates for 1980 using census population figures revealed that the higher state birth rate reflects not only a younger population but a higher rate of childbearing in nearly all age groups.

Age of Mother

The majority of births to state residents, 69.0%, were to mothers between the ages of 20 and 29. Births to teenage mothers accounted for 13.8%, and those to mothers 30 and over for 17.1%.

The percentage of births to mothers in the 15-17, 18-19 and 20-24 year age groups declined in 1982, while percentages to mothers in the 25-29, 30-34, and 35-39 year age groups all increased. The median age of mothers increased from 24.5 in 1981 to 24.8 in 1982. This represents a continuing trend in the state in recent years and is due in part to an increase in the proportion of the female population over 25 years old.

Births to Unmarried Women

The number of births to unmarried mothers increased by 7.1% in 1982. There were 1,017 such births, 67 more than in 1981. The ratio of births to unmarried mothers

per 1,000 total births increased by 5.0% from 87.6 in 1981 to 92.0 in 1982. This ratio has increased each year since 1976 when it was 64.3.

Ratios by age increased for the 15-17, 18-19, 20-24, 30-34 and 40-44 year age groups and decreased for the under 15, 25-29 and 35-39 year age groups.

Low Birthweight

The number of low birthweight infants (under 5 lb 8 oz or 2500 grams) born to Wyoming residents increased from 716 in 1981 to 790 in 1982. The percentage of resident births classified as low birthweight also increased from 6.6 percent in 1981 to 7.1% in 1982. This was the first increase in the percentage of low birthweight since 1975. However, the 1982 figure is still below the 1980 figure of 7.4%.

Percentage of low birthweight increased for mothers between 20 and 34 years old and decreased for those in the 15-19 and 35-39 year old age categories.

The following table shows low weight births as a percentage of the total number of births to mothers within various age categories. The latest available data for the United States are for 1981. Wyoming percentages are averaged for 1980 through 1982 for comparision.

Percent Low Birthweight
by Age of Mother

Age of Mother	WY 80 - 82 Average	U.S. 81
All ages	7.0	6.8
Under 15	8.9	14.0
15-19	9.0	9.4
20-24	7.2	6.9
25-29	6.3	5.8
30-34	6.0	5.8
35-39	7.0	7.1
40-44	5.4	8.3
45+	-	11.0

As the figures for the United States reveal the incidence of low birthweight is highest among mothers under 20 years old and those 40 or older. It is lowest between the ages of 25 and 34. In the past the percentage of low birthweight infants born to Wyoming residents has been consistently higher than that for the nation as a whole. This gap has been narrowing in recent years and in 1981 the state percentage (6.6) dipped below the national percentage (6.8).

Percentage of low birthweight was calculated by county of residence for 1978 through 1982. (See Table 7) Counties recording the highest percentages of low weight births were Carbon (9.8), Albany (9.1), Laramie (8.6), Sweetwater (8.1), and Goshen (8.0). Carbon and Laramie counties were above the state average in all five years. Washakie (4.7), Teton (5.1), Sheridan (5.2), Johnson (5.5) and Converse (5.6) had the lowest percentages with Washakie and Sheridan counties under the state average in all five years.

Live Birth Order

First order births accounted for 4,503 or 40.7% of the resident births in 1982. Second order births accounted for 3,617 or 32.7%, third for 1,711 or 15.5% and fourth and higher order for 1,214 or 11.0%. The proportion of first order births decreased 3.1% over 1981, while the proportion of second order increased by 5.5% and the proportion of third and higher order births remained essentially the same.

The accompanying table illustrates changes in birth order distributions during the past ten years. The proportions of first, second, third and fourth and higher order births to mothers in various age groups are shown for 1972, 1977 and 1982. In 1972, 19.6% of the births to 25 to 29 year olds were first births. By 1982, 29.7% of the births to 25 to 29 year olds were first order births. The proportion

of second order births in this age group also increased while the proportion of third and higher order births decreased over the ten year period. Births to 35 to 39 year old mothers followed the same pattern. In the 30-34 and 40-44 year age groups the proportion of first, second and third order births all increased while the proportion of fourth and higher decreased. Thus, Wyoming's birth order data reflects the trend toward smaller families that has been demonstrated for the nation as a whole.

Percentage of Wyoming Resident Live Births
by Live Birth Order by Age of Mother
1972, 1977, 1982

Age of Mother	Live Birth Order 1st	2nd	3rd	4th & Over
15-19				
1972	84.7	13.5	1.1	.3
1977	76.1	20.8	2.7	.3
1982	79.7	17.2	2.5	.5
20-24				
1972	44.7	39.3	12.3	3.4
1977	41.8	39.6	14.6	3.9
1982	45.8	38.1	12.7	3.2
25-29				
1972	19.6	33.2	26.3	20.7
1977	22.9	35.7	25.0	16.3
1982	29.7	36.6	21.1	12.7
30-34				
1972	10.2	19.6	20.6	49.2
1977	14.3	22.4	24.5	38.8
1982	20.5	28.5	23.7	27.3
35-39				
1972	4.1	7.6	19.8	68.5
1977	7.8	12.8	16.3	63.0
1982	10.2	20.1	15.6	54.1
40-44				
1972	4.0	4.0	8.0	84.0
1977	2.6	13.2	5.3	78.9
1982	4.2	8.3	14.6	72.9

Prenatal Care

In 1982, 78.6% of the births for which information on prenatal care was given were to mothers receiving care during the first three months of pregnancy. This was up slightly from 78.0% in 1981. The proportion of mothers beginning to receive care in the second trimester was 17.8%, down slightly from 1981. There were 2.8% who didn't receive care until the last three months and .8% received no care. This remained substantially the same as the previous year. Nationally the percentage receiving care in the first trimester was 76.3% for 1981, the latest year for which data is available.

Various interrelated factors influence the time at which a mother will begin prenatal care. Among these are her age, education and marital status. In 1982, mothers received early (within the first trimester) prenatal care in 62.1% of the births to teenagers compared with 81.2% of the births to women 20 and over. Percentages receiving early care by education of mother varied from 49.3% for women with less than 9 years of schooling to 88.9% for college graduates. Early care was received in only 51.5% of the births to unmarried mothers as compared to 81.3% of the births to married mothers.

Place of Birth

Of the 10,174 births occurring in Wyoming in 1982, 101 (1.0%) did not take place in a hospital. This was an increase of 14 over the 1981 total. Although the percentage of births delivered outside a hospital is small, it has been increasing in recent years. The state percentage in 1982 was identical to that for the U.S. as a whole for 1981, the latest year for which data is available.

Residence and Occurrence

Of the 11,053 births to Wyoming residents in 1982, 1,077 or 9.7% occurred in other states. This compares with 8.8% for 1981 and is the largest percentage ever to occur

out of state. Of this number 592 took place in Utah, 161 in Colorado, 114 in South Dakota and 88 in Nebraska.

The number of residents of other states giving birth in Wyoming was 198 or 1.9% of the 10,174 births occurring in the state.

MORTALITY

During 1982 there were 3,183 Wyoming resident deaths. This was an increase of 21 deaths from the previous year. The crude death rate was 6.5 deaths per 1,000 population, the same as the rate for 1981.

Wyoming's crude rate was considerably below the U.S. provisional rate of 8.6. This difference is mainly due to the state's younger population. When rates are adjusted for age the difference between the U.S. and state rates is very slight.

Looking at deaths by age group for 1982, numbers of resident deaths decreased in the Under 1, 1-4, 15-24, 25-34, 35-44 and 45-54 age categories. Numbers of deaths increased in the 5-14, 55-64, 65-74, 75-84 and 85+ age categories.

There were fewer female than male deaths in all age categories except the 1-4 and 85 and over categories. The median age at death for males was 67.9, while the median age at death for females was 75.4.

Deaths by Age and Sex
Wyoming 1981, 1982*

	1981			1982		
	Total	Male	Female	Total	Male	Female
All ages	3,162	1,836	1,326	3,183	1,859	1,324
Under 1	121	71	50	109	57	52
1-4	22	15	7	17	7	10
5-14	22	19	3	33	21	12
15-24	163	125	38	130	100	30
25-34	145	112	33	133	101	32
35-44	133	106	27	130	91	39
45-54	249	161	88	235	146	89
55-64	397	254	143	450	303	147
65-74	658	416	242	670	429	241
75-84	690	355	335	692	362	330
85+	562	202	360	583	242	341

*1982 total includes one female death with age not stated.

Leading Causes

The leading causes of death listed below accounted for 86% of Wyoming's resident deaths in 1982. The rankings of the first five causes have stayed the same since 1979 when the classification system for causes of death was revised. Pneumonia and influenza, and suicide have been in sixth and seventh places respectively during that period except that in 1981 suicide was sixth and pneumonia and influenza seventh.

Leading Causes of Death
Wyoming Residents, 1982*

Rank	Cause of Death	Number	Rate	U.S. Rate
	All Causes	3,183	649.2	857.6
1	Heart Disease	1,047	213.6	327.8
2	Malignant Neoplasms	580	118.3	188.1
3	Accidents	323	65.9	41.3
	Motor Vehicle Accidents	193	39.4	20.1
	All Other Accidents	130	26.5	21.2
4	Cerebrovascular Disease	213	43.4	68.9
5	Chronic Obstructive Pulmonary Disease	143	29.2	25.9
6	Pneumonia & Influenza	105	21.4	21.8
7	Suicide	95	19.4	12.0
8	Diabetes Mellitus	45	9.2	14.3
9	Chronic Liver Disease & Cirrhosis	44	9.0	11.8
10	Congenital Anomalies	42	8.6	5.7
11	Certain Conditions of the Perinatal Period	37	7.5	9.0
11	Homicide	37	7.5	9.6
12	Arteriosclerosis	30	6.1	11.5
	All Other Causes	442	90.2	109.9

*Rates are per 100,000 population

Death rates for 1982 increased for all leading causes of death except malignant neoplasms, accidents and certain conditions of the perinatal period. The rate for malignant neoplasms decreased by 2.2%, accidents by 18.4% and certain conditions of the perinatal period by 35.9%. Rates showing the largest increases were congenital anomalies, 62.3%, homicide, 41.5%, pneumonia and influenza, 27.4%, and suicide 12.8%.

State death rates were lower than national rates for all causes except accidents, chronic obstructive pulmonary disease, suicide and congenital anomalies.

Leading causes of death vary by age and sex. The first six leading causes of death for males along with the number of deaths attributed to each cause were: diseases of the heart, 621; malignant neoplasms, 319; accidents, 236; chronic obstructive pulmonary disease, 105; cerebrovascular disease, 84; and suicide, 81. For females the leading causes were: diseases of the heart, 426; malignant neoplasms, 261; cerebrovascular disease, 129; accidents, 87; pneumonia and influenza, 55; and chronic obstructive pulmonary disease, 38.

Looking at leading causes of death in various age groups (See Table 17), accidents were the leading cause for all age groups between one and 44 years. Suicide was the second leading cause between the ages 15 and 44 years. Homicide was the third leading cause for people from 15 to 34 years old. Diseases of the heart and malignant neoplasms were the two leading causes of death for people 45 and over. In the age groups 45-54 and 55-64 accidents rank third and chronic liver disease and cirrhosis ranks fourth. For ages 65-74 years chronic obstructive pulmonary disease ranks third and cerebrovasular disease fourth. For those 75 years and over cerebrovascular disease is third and pneumonia and influenza fourth.

Accidents and Suicides

External causes of death such as accidents, suicides and homicides are of particular concern in that they cause a large percentage of the deaths of younger people and are potentially preventable. In 1982 external causes accounted for 73.6% of the deaths of people from 1 to 44 years old in the state.

Wyoming's accidental death rate decreased substantially in 1982. However it was still 59.6% higher than the national rate. The latest year for which national data is available by state of residence is 1980. During that year Wyoming was second only to Alaska in its overall accidental death rate and had the highest motor vehicle accidental death rate in the nation.

Of the 323 resident deaths due to accidents in 1982, 193 were due to motor vehicle accidents, 30 to falls, 16 to accidental poisoning, 14 to air transportation accidents, 10 to drowning and submersion, and 60 to other types of accidents. There were over two and a half times as many male accidental deaths as female. Almost half of the accidental deaths were of people between 15 and 34 years of age.

Accidental Deaths by Age and Sex
Wyoming Residents, 1982



Wyoming's suicide rate was 19.4 suicides per 100,000 population in 1982, a 12.8% increase over the previous year. This was the highest suicide rate recorded in the state since 1970 and was 61.7% higher than the national rate of 12.0. Suicide rates in the western United States are consistently higher than those in other parts of the country. In 1980, the latest year for which national rates by state of residence are available, Wyoming had the sixth highest rate in the nation with 15.8 suicides per 100,000 population. Nevada (22.9), New Mexico (17.4), Alaska (16.9), Arizona (16.9) and Colorado (16.3) had higher rates.

Suicide Rates
by Age and Sex*

	Wyoming 79-81			US 80
Age at Death	Male	Female	Both Sexes	Both Sexes
5-14	1.7	-	.9	.4
15-24	27.3	7.5	17.9	12.3
25-34	26.1	9.6	18.4	16.0
35-44	38.7	13.1	26.4	15.4
45-54	35.9	13.2	24.8	15.9
55-64	42.6	9.6	26.1	15.9
65-74	66.2	8.1	35.0	16.9
75-84	77.7	-	30.8	19.1
85+	53.5	-	19.2	19.2
Total	26.2	7.0	16.8	11.9

*per 100,000 population

The table above shows suicide rates by age and sex for the state from 1979 through 1981. The rate for males ages 15-24 was 27.3 suicides per 100,000 males in that age group. This rate decreased slightly for males from 25 to 34 years old, then showed a generally increasing trend with age up to 85 years. The corresponding rate for females from 15 to 24 years old was 7.5. This rate peaked for women 35-54 then decreased in each of the older age groups. The rates for males exceeded that for females in every age group.

The overall rate for males was more than three times that for females. Comparing these rates to the U.S. rates for 1980, the state rate for males was 40.9% higher than the national and the rate for females was 27.3% higher than the national. Age specific rates were above the national for each age group except the 85 and over.

Infant Mortality

There was a decrease in the number of Wyoming resident infant deaths from 121 in 1981 to 109 in 1982. The infant mortality rate also decreased from 11.2 infant deaths per 1,000 live births in 1981 to 9.9 in 1982. This rate was identical to the record low rate of 1980.

Neonatal deaths (under 28 days) accounted for 65 of the 109 infant deaths. The neonatal mortality rate was 5.9 neonatal deaths per 1,000 live births, down from 7.0 in 1981, and the lowest rate ever recorded for the state. The post-neonatal (28 days to 1 year) mortality rate was 4.0, down from 4.2 in 1981.

State infant and neonatal mortality rates have been declining at an even faster pace than national rates in recent years. Between 1972 and 1982 the infant death rate decreased by 54.6% in Wyoming and by 39.5% for the nation as a whole. During the same time period the neonatal mortality rate declined by 66.3% in the state and 44.1% in the nation. Both the neonatal and infant mortality rates for 1982 in Wyoming were lower than the national rates. However, Wyoming's post-neonatal rate of 4.0 was above the national rate of 3.6.

The leading causes of infant death for the state in 1982 were congenital anomalies (31), sudden infant death syndrome (16), respiratory distress syndrome (9) and other respiratory conditions of the newborn (9). These causes accounted for 60% of the state total.

Congenital anomalies, respiratory distress syndrome and other respiratory conditions of the newborn were the leading causes of neonatal death, while sudden infant death syndrome, congenital anomalies and accidents were the leading causes of post-neonatal death.

Infant and Neonatal Mortality Rates
Wyoming and United States
1972-1982



	Neonatal*		Post Neonatal*		Infant*	
Year	WY	U.S.	WY	U.S.	WY	U.S.
1972	17.5	13.6	4.3	4.8	21.8	18.5
1973	14.5	13.0	4.1	4.8	18.6	17.7
1974	11.3	12.3	4.9	4.4	16.2	16.7
1975	12.8	11.6	4.5	4.5	17.3	16.1
1976	10.7	10.9	5.7	4.3	16.4	15.2
1977	8.6	9.9	5.3	4.2	13.9	14.1
1978	8.1	9.5	5.0	4.3	13.1	13.8
1979	8.4	8.9	4.8	4.2	13.2	13.1
1980	6.4	8.5	3.4	4.1	9.9	12.6
1981	7.0	7.8	4.2	3.9	11.2	11.7
1982	5.9	7.6	4.0	3.6	9.9	11.2

*Rates per 1,000 live births

When examining infant mortality rates by county of residence, care must be taken because of the small number of events involved. One death can make a large difference in a rate for a county with a small number of resident births. Because of this, rates tend to vary drastically from year to year. One way to alleviate this problem is to calculate rates for a period of several years, thereby looking at a larger number of births. Five year (1978-1982) infant and neonatal morality rates for Wyoming counties are shown in Table 23. Counties with the highest infant death rates were Niobrara (24.0), Weston (15.6), Goshen (15.3), Carbon (15.1), Crook (14.6) and Fremont (14.4). Those with the lowest infant death rates were Johnson (6.5), Sheridan (7.2), Park (7.8), Converse (8.6), Platte (9.1) and Albany (9.2).

Stillbirths

In 1982 there were 92 stillbirths of 20 or more completed weeks of gestation to Wyoming residents. The stillbirth ratio was 8.3 stillbirths per 1,000 live births, down slightly from the 1981 ratio of 8.6. The latest year for which information on the nation as a whole is available is 1980 at which time the U.S. ratio was 9.1.

Maternal Deaths

There was only one Wyoming resident maternal death in 1982, giving a maternal mortality rate of .9 maternal deaths per 10,000 live births. This was the same as the provisional rate for the nation.



MARRIAGE

Both the number of marriages taking place in Wyoming and the marriage rate decreased in 1982. The number decreased from 7,057 in 1981 to 6,799 in 1982. This was the first decrease since 1975. The rate decreased by 4.1% from 14.5 marriages per 1,000 population in 1981 to 13.9 in 1982. The state rate was 28.7% higher than the provisional U.S. rate of 10.8.

Of the brides for whom previous marital status was known, 56.6% were entering their first marriage, while 40.4% were divorced and 2.9% had been widowed. Of the grooms, 58.5% were entering their first marriage, 39.4% were divorced and 2.1% had been widowed. The percentage of brides entering their first marriage decreased slightly

over the previous year while the percentage of grooms entering their first marriage showed a slight increase.

The median age for brides and grooms entering their first marriages was 21.0 and 23.3 respectively. For remarriages the median age of brides was 30.8 and of grooms 34.2.

DIVORCE

The number of divorces and annulments granted in the state decreased from 4,145 in 1981 to 3,961 in 1982. This was the first decrease since 1961. There was a corresponding decrease in the rate from 8.5 divorces per 1,000 population in 1981 to 8.1 in 1982. Nationally the number of divorces also declined for the first time in twenty years. The provisional 1982 U.S. rate was 5.1. According to provisional national data, only Nevada (13.9) and Alaska (8.3) had higher rates than Wyoming.

The median duration of marriages ending in divorce decreased from 4.92 years in 1981 to 4.68 years in 1982. Marriages lasting less than 5 years accounted for 52.5% of the divorces, those lasting between 5 and 10 years accounted for 24.1% and those lasting 10 years or more for 23.4%.

The total number of children under 18 years old involved in divorce was 3,767, down from 4,168 in 1981. No children were involved in 44.8% of the divorces, one or two were involved in 46.6%, and 8.6% involved 3 or more.

TABLES

TABLE 1

Population by County
Wyoming 1980, 1981, 1982*

Residence	1980	1981	1982
Wyoming	469,557	487,506	490,265
Albany	29,062	29,148	27,500
Big Horn	11,896	12,029	12,159
Campbell	24,367	30,310	32,727
Carbon	21,896	21,453	20,671
Converse	14,069	14,098	13,258
Crook	5,308	5,393	5,468
Fremont	38,992	39,197	37,517
Goshen	12,040	12,124	12,039
Hot Springs	5,710	5,674	5,701
Johnson	6,700	6,748	6,755
Laramie	68,649	69,251	69,870
Lincoln	12,177	12,898	13,213
Natrona	71,856	75,517	75,021
Niobrara	2,924	3,041	3,054
Park	21,639	22,072	22,857
Platte	11,975	11,023	9,321
Sheridan	25,048	25,575	26,340
Sublette	4,548	4,593	4,635
Sweetwater	41,723	44,506	44,184
Teton	9,355	9,459	10,453
Uinta	13,021	15,846	19,855
Washakie	9,496	9,685	9,694
Weston	7,106	7,855	7,961

*Census enumerations are used for 1980. Estimates for 1981 and 1982 were developed by the Wyoming Department of Administration and Fiscal Control, Division of Research and Statistics.

TABLE 2
Births, Deaths, Infant Deaths, Stillbirths, and Maternal Deaths
Wyoming, 1922-1982*

Year	Estimated Population**	Births		Deaths		Infant Deaths		Stillbirths		Maternal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Ratio	Number	Rate
1922	207,677	5,188	25.0	1,930	9.3	408	78.6	180	34.7	N/A	N/A
1923	211,459	4,950	23.4	2,180	10.3	394	79.6	165	33.3	36	72.7
1924	215,011	5,226	24.3	2,063	9.6	336	64.3	180	34.4	51	97.6
1925	215,991	4,833	22.4	1,896	8.8	309	63.9	146	30.2	46	95.2
1926	217,152	4,388	20.2	1,902	8.8	333	75.9	137	31.2	41	93.4
1927	218,949	4,472	20.4	1,976	9.0	308	68.9	131	29.3	39	87.2
1928	220,455	4,496	20.4	2,155	9.8	305	67.8	128	28.5	29	64.5
1929	223,427	4,424	19.8	2,010	9.0	311	70.3	100	22.6	28	63.3
1930	225,940	4,471	19.8	2,079	9.2	310	69.3	134	30.0	41	91.7
1931	227,783	4,504	19.8	2,035	8.9	301	66.8	117	26.0	38	84.4
1932	228,498	4,249	18.6	2,057	9.0	242	57.0	112	26.4	28	65.9
1933	228,863	4,207	18.4	1,975	8.6	230	54.7	84	20.0	24	57.0
1934	231,046	4,565	19.8	2,096	9.1	242	53.0	89	19.5	28	61.3
1935	234,690	4,362	18.6	2,284	9.7	223	51.1	86	19.7	18	41.3
1936	237,639	4,753	20.0	2,401	10.1	274	57.6	68	14.3	24	50.5
1937	241,614	4,530	18.7	2,430	10.1	252	55.6	96	21.2	17	37.5
1938	244,926	4,946	20.2	2,235	9.1	256	51.8	92	18.6	15	30.3
1939	247,524	4,897	19.8	2,207	8.9	223	45.5	86	17.6	17	34.7
1940	250,742	5,060	20.2	2,141	8.5	237	46.8	101	20.0	22	43.5
1941	247,000	5,185	21.0	2,205	8.9	227	43.8	111	21.4	12	23.1
1942	251,000	5,437	21.7	2,134	8.5	249	45.8	105	19.3	13	23.9
1943	247,000	5,688	23.0	2,227	9.0	213	37.4	117	20.6	9	15.8
1944	242,000	5,612	23.2	2,251	9.3	220	39.2	101	18.0	9	16.0
1945	239,000	5,339	22.3	2,206	9.2	217	40.6	91	17.0	7	13.1
1946	254,000	6,188	24.4	2,135	8.4	205	33.1	110	17.8	10	16.2
1947	258,000	7,320	28.4	2,349	9.1	249	34.0	144	19.7	6	8.2
1948	269,000	7,418	27.6	2,385	8.9	293	39.5	124	16.7	8	10.8
1949	277,000	7,490	27.0	2,385	8.6	280	37.4	124	16.6	3	4.0
1950	292,000	7,606	26.0	2,336	8.0	247	32.5	146	19.2	9	11.8
1951	293,000	8,048	27.5	2,346	8.0	233	29.0	122	15.2	6	7.5
1952	297,000	8,116	27.3	2,503	8.4	262	32.3	116	14.3	2	2.5
1953	295,000	8,760	29.7	2,349	8.0	243	27.7	131	15.0	3	3.4
1954	300,000	8,938	29.8	2,419	8.1	270	30.2	106	11.9	2	2.2
1955	315,000	8,610	27.3	2,453	7.8	242	28.1	108	12.5	4	4.6
1956	321,000	8,389	26.1	2,533	7.9	231	27.5	109	13.0	2	2.4
1957	323,000	8,270	25.6	2,598	8.0	217	26.2	127	15.4	1	1.2
1958	322,000	8,098	25.1	2,528	7.9	225	27.8	125	15.4	3	3.7
1959	325,000	8,189	25.2	2,623	8.1	221	27.0	118	14.4	2	2.4
1960	330,066	8,499	25.7	2,792	8.5	238	28.0	95	11.2	2	2.4
1961	336,000	8,560	25.5	2,635	7.8	230	26.9	111	13.0	1	1.2
1962	332,000	7,984	24.0	2,738	8.2	243	30.4	85	10.6	3	3.8
1963	335,000	7,494	22.4	2,817	8.4	217	29.0	97	12.9	2	2.7
1964	338,000	7,252	21.5	2,842	8.4	209	28.8	91	12.5	2	2.8
1965	330,000	6,534	19.8	2,802	8.5	146	22.3	86	13.2	1	1.5
1966	319,000	5,898	18.5	2,655	8.3	142	24.1	76	12.9	1	1.7
1967	322,000	5,540	17.2	2,763	8.6	130	23.5	83	15.0	4	7.2
1968	324,000	5,750	17.7	2,958	9.1	123	21.4	87	15.1	2	3.5
1969	329,000	6,033	18.3	2,934	8.9	165	27.3	97	16.1	-	-
1970	332,416	6,535	19.7	2,927	8.8	131	20.0	82	12.5	1	1.5
1971	339,284	6,156	18.1	3,048	9.0	152	24.7	72	11.7	-	-
1972	350,112	6,011	17.2	3,038	8.7	131	21.8	65	10.8	1	1.7
1973	358,318	6,059	16.9	3,066	8.6	113	18.6	57	9.4	2	3.3
1974	371,630	6,536	17.6	3,133	8.4	106	16.2	79	12.1	-	-
1975	383,644	6,938	18.1	3,072	8.0	120	17.3	75	10.8	2	2.9
1976	397,965	7,367	18.5	3,158	7.9	121	16.4	65	8.8	1	1.4
1977	427,130	8,276	19.4	3,017	7.1	115	13.9	74	8.9	4	4.8
1978	440,878	8,652	19.6	3,112	7.1	113	13.1	67	7.7	3	3.5
1979	454,949	9,768	21.5	3,063	6.7	129	13.2	65	6.7	-	-
1980	469,557	10,546	22.5	3,215	6.8	104	9.9	81	7.7	1	.9
1981	488,652	10,839	22.2	3,162	6.5	121	11.2	93	8.6	1	.9
1982	490,265	11,053	22.5	3,183	6.5	109	9.9	92	8.3	1	.9

*Data for 1922-1945 is by place of occurrence, 1946-1982 is by place of residence. Birth and death rates are per 1,000 population. Infant death rates and stillbirth ratios are per 1,000 live births. Maternal death rates are per 10,000 live births.

**Census enumerations are used for years ending with a zero.

TABLE 3

Births and Rates
by County of Residence
Wyoming, 1978-1982

Residence	1978		1979		1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	15.0	--	15.6	--	15.9	--	15.8	--	16.0
Wyoming	8,652	19.6	9,768	21.5	10,546	22.5	10,839	22.2	11,053	22.5
Albany	427	15.4	480	17.0	467	16.1	543	18.6	478	17.4
Big Horn	202	17.7	249	21.5	259	21.8	267	22.2	272	22.4
Campbell	503	24.2	557	24.6	715	29.3	817	27.0	885	27.0
Carbon	462	23.7	488	23.7	549	25.1	534	24.9	490	23.7
Converse	272	21.9	320	23.1	346	24.6	344	24.4	345	26.0
Crook	111	21.9	122	23.7	115	21.7	134	24.8	136	24.9
Fremont	777	21.2	897	24.0	1,001	25.7	918	23.4	910	24.3
Goshen	186	15.8	205	17.2	220	18.3	214	17.7	219	18.2
Hot Springs	85	15.4	107	19.2	104	18.2	121	21.3	83	14.6
Johnson	110	17.7	126	19.6	123	18.4	127	18.8	132	19.5
Laramie	1,181	18.1	1,321	19.9	1,374	20.0	1,357	19.6	1,354	19.4
Lincoln	321	28.6	324	28.4	389	31.9	354	27.4	394	29.8
Natrona	1,350	20.2	1,484	21.6	1,560	21.7	1,655	21.9	1,699	22.6
Niobrara	40	13.9	40	13.8	50	17.1	56	18.4	64	21.0
Park	351	16.7	383	18.0	387	17.9	439	19.9	491	21.5
Platte	174	14.2	227	16.1	229	19.1	206	18.7	154	16.5
Sheridan	390	16.5	441	18.0	449	17.9	455	17.8	497	18.9
Sublette	74	16.9	95	21.4	76	16.7	90	19.6	96	20.7
Sweetwater	901	22.3	1,045	25.5	1,177	28.2	1,126	25.3	1,183	26.8
Teton	129	15.6	129	15.1	152	16.2	170	18.0	179	17.1
Uinta	285	24.5	337	27.8	425	32.6	505	31.9	616	31.0
Washakie	175	19.4	219	23.7	218	23.0	209	21.6	197	20.3
Weston	143	21.0	168	24.1	155	21.8	191	24.3	175	22.0
Yellowstone NP	3	--	4	--	6	--	7	--	4	--

TABLE 4

Births by Sex, Race,
and County of Residence
Wyoming, 1982

Residence	Total	Sex		Race				
		Male	Female	White	Black	Indian	Other	Unknown
Wyoming	11,053	5,597	5,456	10,522	108	335	83	5
Albany	478	247	231	454	6	9	9	-
Big Horn	272	146	126	266	-	4	1	1
Campbell	885	464	421	862	-	17	6	-
Carbon	490	244	246	481	-	8	1	-
Converse	345	173	172	333	-	10	2	-
Crook	136	73	63	136	-	-	-	-
Fremont	910	445	465	697	3	205	5	-
Goshen	219	109	110	217	-	2	-	-
Hot Springs	83	46	37	81	-	2	-	-
Johnson	132	74	58	126	-	3	3	-
Laramie	1354	688	666	1256	69	10	18	1
Lincoln	394	211	183	390	-	4	-	-
Natrona	1699	837	862	1657	20	6	16	-
Niobrara	64	41	23	64	-	-	-	-
Park	491	238	253	471	-	17	3	-
Platte	154	83	71	153	-	1	-	-
Sheridan	497	241	256	492	-	3	2	-
Sublette	96	47	49	94	-	2	-	-
Sweetwater	1,183	599	584	1,155	9	9	10	-
Teton	179	86	93	175	-	-	2	2
Uinta	616	311	305	599	1	14	1	1
Washakie	197	108	89	190	-	4	3	-
Weston	175	84	91	169	-	5	1	-
Yellowstone NP	4	2	2	4	-	-	-	-

TABLE 5

Births by Age of Mother, Race
and County of Residence
Wyoming, 1982

	Total	Age of Mother										
		< 15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	11,053	15	429	1,085	1,514	4,198	3,433	1,486	353	48	4	2
Race												
White	10,522	13	393	1,018	1,411	4,007	3,293	1,407	340	45	4	2
Black	108	1	7	11	18	43	30	14	2	-	-	-
Indian	335	1	28	51	79	122	77	49	6	1	-	-
Other	83	-	1	5	6	24	31	15	5	2	-	-
Unknown	5	-	-	-	-	2	2	1	-	-	-	-
Residence												
Albany	478	-	14	33	47	170	170	76	13	2	-	-
Big Horn	272	-	12	24	36	89	92	27	21	7	-	-
Campbell	885	-	35	71	106	387	260	109	19	3	-	1
Carbon	490	-	22	50	72	195	149	55	18	1	-	-
Converse	345	-	19	29	48	149	91	43	12	2	-	-
Crook	136	-	4	15	19	54	44	16	2	1	-	-
Fremont	910	2	43	104	147	345	258	131	25	2	-	-
Goshen	219	-	7	19	26	92	68	28	4	1	-	-
Hot Springs	83	-	3	12	15	30	21	13	4	-	-	-
Johnson	132	-	2	17	19	40	47	23	2	1	-	-
Laramie	1,354	5	49	165	214	508	412	170	40	4	1	-
Lincoln	394	-	11	32	43	171	104	45	23	5	3	-
Natrona	1,699	3	68	166	234	640	535	226	54	7	-	-
Niobrara	64	-	2	8	10	21	28	5	-	-	-	-
Park	491	-	19	40	59	182	157	71	19	3	-	-
Platte	154	-	7	22	29	50	52	21	2	-	-	-
Sheridan	497	2	17	42	59	178	173	68	17	-	-	-
Sublette	96	-	3	11	14	30	31	16	4	1	-	-
Sweetwater	1,183	3	47	115	162	459	371	153	30	4	-	1
Teton	179	-	1	7	8	34	64	62	10	1	-	-
Uinta	616	-	27	65	92	235	195	70	22	2	-	-
Washakie	197	-	5	18	23	77	47	43	6	1	-	-
Weston	175	-	12	20	32	62	60	15	6	-	-	-
Yellowstone NP	4	-	-	-	-	-	4	-	-	-	-	-

TABLE 6

Births to Unmarried Mothers by Age of Mother,
Race, and County of Residence
Wyoming, 1982

	Total	Age of Mother										
		< 15	15-17	18-19	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
Wyoming	1,017	12	186	244	430	388	125	48	12	2	-	-
Race												
White	906	11	166	222	388	351	105	38	11	2	-	-
Black	30	1	7	4	11	10	6	2	-	-	-	-
Indian	77	-	12	17	29	25	14	8	1	-	-	-
Other	4	-	1	1	2	2	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Residence												
Albany	40	-	11	7	18	14	5	3	-	-	-	-
Big Horn	19	-	4	5	9	5	1	3	1	-	-	-
Campbell	77	-	13	13	26	34	12	5	-	-	-	-
Carbon	51	-	9	9	18	27	3	3	-	-	-	-
Converse	28	-	12	1	13	12	3	-	-	-	-	-
Crook	10	-	-	4	4	6	-	-	-	-	-	-
Fremont	123	2	21	33	54	42	16	8	1	-	-	-
Goshen	26	-	3	8	11	13	1	1	-	-	-	-
Hot Springs	17	-	2	4	6	8	1	1	1	-	-	-
Johnson	8	-	1	6	7	1	-	-	-	-	-	-
Laramie	158	5	22	48	70	56	20	5	2	-	-	-
Lincoln	16	-	4	3	7	6	1	1	1	-	-	-
Natrona	157	3	26	34	60	59	23	8	3	1	-	-
Niobrara	8	-	2	2	4	2	2	-	-	-	-	-
Park	24	-	3	10	13	8	3	-	-	-	-	-
Platte	11	-	3	4	7	3	1	-	-	-	-	-
Sheridan	50	-	8	15	23	18	6	2	1	-	-	-
Sublette	8	-	3	3	6	2	-	-	-	-	-	-
Sweetwater	111	2	24	18	42	47	15	4	1	-	-	-
Teton	10	-	1	2	3	2	4	-	-	1	-	-
Uinta	33	-	8	5	13	12	5	2	1	-	-	-
Washakie	17	-	-	6	6	9	1	1	-	-	-	-
Weston	15	-	6	4	10	2	2	1	-	-	-	-
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7

Low Weight Births
by County of Residence
Wyoming, 1978-1982*

Residence	1978		1979		1980		1981		1982		1978-1982
	No.	Percent	No.	Percent	No.	Percent	No.	Percent	No.	Percent	Percent
U.S. Percent	--	7.1	--	6.9	--	6.8	--	6.8	--	N/A	--
Wyoming	689	8.0	740	7.6	778	7.4	716	6.6	790	7.1	7.3
Albany	44	10.3	45	9.4	46	9.9	35	6.4	47	9.8	9.1
Big Horn	14	6.9	18	7.2	15	5.8	18	6.7	17	6.3	6.6
Campbell	26	5.2	29	5.2	45	6.3	43	5.3	58	6.6	5.8
Carbon	48	10.4	51	10.5	56	10.2	54	10.1	39	8.0	9.8
Converse	14	5.1	14	4.4	20	5.8	23	6.7	20	5.8	5.6
Crook	9	8.1	9	7.4	3	2.6	7	5.2	7	5.1	5.7
Fremont	54	6.9	69	7.7	68	6.8	55	6.0	90	9.9	7.5
Goshen	9	4.8	19	9.3	17	7.7	19	8.9	20	9.1	8.0
Hot Springs	4	4.7	9	8.4	8	7.7	7	5.8	9	10.8	7.4
Johnson	10	9.1	6	4.8	8	6.5	3	2.4	7	5.3	5.5
Laramie	110	9.3	124	9.4	120	8.7	107	7.9	104	7.7	8.6
Lincoln	23	7.2	27	8.3	18	4.6	20	5.6	26	6.6	6.4
Natrona	100	7.4	115	7.7	117	7.5	110	6.6	122	7.2	7.3
Niobrara	2	5.0	2	5.0	4	8.0	6	10.7	4	6.3	7.2
Park	32	9.1	29	7.6	21	5.4	22	5.0	25	5.1	6.3
Platte	18	10.3	19	8.4	15	6.6	12	5.8	7	4.5	7.2
Sheridan	27	6.9	19	4.3	19	4.2	27	5.9	25	5.0	5.2
Sublette	5	6.8	7	7.4	4	5.3	4	4.4	6	6.3	6.0
Sweetwater	90	10.0	87	8.3	110	9.3	68	6.0	86	7.3	8.1
Teton	6	4.7	7	5.4	6	3.9	13	7.6	7	3.9	5.1
Uinta	21	7.4	20	5.9	40	9.4	41	8.1	41	6.7	7.5
Washakie	11	6.3	8	3.7	10	4.6	11	5.3	8	4.1	4.7
Weston	12	8.4	6	3.6	6	3.9	11	5.8	15	8.6	6.0
Yellowstone NP	-	-	1	25.0	2	33.3	-	-	-	-	12.5

*Data for 1978-1980 are births weighing 2500 grams or less, data for 1981 and 1982 are births weighing less than 2500 grams.

TABLE 8

Births by Weight at Birth
by County of Residence
Wyoming, 1982

Residence	Total	Low Weight		Weight in Grams							
		Number	Percent	Under 500	500-999	1000-1499	1500-1999	2000-2499	2500-4499	4500+	Unknown
Wyoming	11,053	790	7.1	8	41	65	147	529	10,158	102	3
Albany	478	47	9.8	-	2	7	10	28	429	1	1
Big Horn	272	17	6.3	-	1	1	2	13	252	3	-
Campbell	885	58	6.6	2	5	4	14	33	816	11	-
Carbon	490	39	8.0	-	4	1	8	26	446	4	1
Converse	345	20	5.8	1	1	-	4	14	324	1	-
Crook	136	7	5.1	-	-	1	3	3	126	3	-
Fremont	910	90	9.9	1	10	8	17	54	814	6	-
Goshen	219	20	9.1	-	-	2	4	14	197	2	-
Hot Springs	83	9	10.8	-	1	-	4	4	71	3	-
Johnson	132	7	5.3	-	-	1	-	6	124	1	-
Laramie	1,354	104	7.7	2	5	11	24	62	1,229	21	-
Lincoln	394	26	6.6	-	-	2	1	23	362	6	-
Natrona	1,699	122	7.2	1	5	10	19	87	1,565	12	-
Niobrara	64	4	6.3	-	-	1	1	2	60	-	-
Park	491	25	5.1	-	1	7	3	14	460	6	-
Platte	154	7	4.5	-	1	-	1	5	147	-	-
Sheridan	497	25	5.0	-	1	-	7	17	471	1	-
Sublette	96	6	6.3	-	-	-	4	2	89	1	-
Sweetwater	1,183	86	7.3	-	1	7	13	65	1,092	5	-
Teton	179	7	3.9	-	-	-	1	6	169	3	-
Uinta	616	41	6.7	1	1	1	2	36	569	5	1
Washakie	197	8	4.1	-	-	-	2	6	186	3	-
Weston	175	15	8.6	-	2	1	3	9	156	4	-
Yellowstone NP	4	-	-	-	-	-	-	-	4	-	-

TABLE 9

Births by Live Birth Order
by County of Residence
Wyoming, 1982

Residence	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Wyoming	11,053	4,503	3,617	1,711	715	279	220	8
Albany	478	217	167	62	17	10	5	-
Big Horn	272	92	78	39	28	11	23	1
Campbell	885	376	299	140	44	14	11	1
Carbon	490	199	148	92	29	15	7	-
Converse	345	136	116	66	18	3	6	-
Crook	136	55	43	22	10	3	3	-
Fremont	910	339	289	177	55	28	21	1
Goshen	219	84	67	37	23	3	5	-
Hot Springs	83	34	34	11	3	1	-	-
Johnson	132	53	36	22	14	6	1	-
Laramie	1,354	609	463	169	72	27	14	-
Lincoln	394	113	121	65	43	23	29	-
Natrona	1,699	742	557	258	87	30	23	2
Niobrara	64	26	18	14	4	2	-	-
Park	491	201	160	73	27	18	12	-
Platte	154	73	54	18	8	1	-	-
Sheridan	497	225	155	69	33	7	8	-
Sublette	96	36	44	9	5	1	1	-
Sweetwater	1,183	441	410	177	96	33	24	2
Teton	179	90	52	22	7	4	4	-
Uinta	616	230	178	102	61	27	17	1
Washakie	197	57	67	40	21	6	6	-
Weston	175	74	58	27	10	6	-	-
Yellowstone NP	4	1	3	-	-	-	-	-

TABLE 10

Births by Age of Mother
by Live Birth Order
Wyoming, 1982

Age of Mother	Total	Live Birth Order						
		1st	2nd	3rd	4th	5th	6th & Over	Unknown
Total	11,053	4,503	3,617	1,711	715	279	220	8
Under 15	15	14	1	-	-	-	-	-
15-17	429	387	40	2	-	-	-	-
18-19	1,085	820	221	36	8	-	-	-
15-19	1,514	1,207	261	38	8	-	-	-
20-24	4,198	1,922	1,601	535	105	24	5	6
25-29	3,433	1,018	1,255	724	307	92	37	-
30-34	1,486	304	423	352	225	104	77	1
35-39	353	36	71	55	61	52	78	-
40-44	48	2	4	7	9	6	20	-
45+	4	-	-	-	-	1	3	-
Unknown	2	-	1	-	-	-	-	1

TABLE 11

Births by Age of Mother
by Trimester Prenatal Care Began
Wyoming, 1982

Age of Mother	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Total	11,053	8,640	1,955	313	91	54
Under 15	15	3	9	3	-	-
15-17	429	229	152	32	8	8
18-19	1,085	708	300	59	11	7
15-19	1,514	937	452	91	19	15
20-24	4,198	3,246	781	123	32	16
25-29	3,433	2,908	439	54	21	11
30-34	1,486	1,235	204	31	10	6
35-39	353	274	58	10	6	5
40-44	48	34	10	1	3	-
45+	4	2	2	-	-	-
Unknown	2	1	-	-	-	1

TABLE 12

Births by Trimester Prenatal Care Began
by County of Residence
Wyoming, 1982

Residence	Total	Trimester Prenatal Care Began				
		1st	2nd	3rd	No Care	Not Stated
Wyoming	11,053	8,640	1,955	313	91	54
Albany	478	418	49	7	4	-
Big Horn	272	214	45	9	-	4
Campbell	885	702	147	22	10	4
Carbon	490	368	110	10	2	-
Converse	345	248	86	8	3	-
Crook	136	91	34	8	3	-
Fremont	910	682	196	19	9	4
Goshen	219	169	42	7	1	-
Hot Springs	83	47	31	4	1	-
Johnson	132	95	30	6	1	-
Laramie	1,354	974	302	58	4	16
Lincoln	394	308	71	13	1	1
Natrona	1,699	1,425	210	44	19	1
Niobrara	64	49	14	1	-	-
Park	491	427	54	7	1	2
Platte	154	133	15	6	-	-
Sheridan	497	446	43	5	2	1
Sublette	96	71	19	3	1	2
Sweetwater	1,183	906	224	33	14	6
Teton	179	151	17	7	2	2
Uinta	616	474	111	19	4	8
Washakie	197	121	65	8	3	-
Weston	175	117	40	9	6	3
Yellowstone NP	4	4	-	-	-	-

TABLE 13

Births by County of Occurrence,
Attendant, and Place of Delivery
Wyoming, 1982

Occurrence	Total	Attendant		Place of Delivery	
		Physician	Other	Hospital	Other
Wyoming	10,174	9,977	197	10,073	101
Albany	633	626	7	628	5
Big Horn	177	177	-	177	-
Campbell	707	701	6	700	7
Carbon	305	303	2	303	2
Converse	260	256	4	244	16
Crook	70	70	-	70	-
Fremont	884	879	5	879	5
Goshen	194	192	2	192	2
Hot Springs	56	55	1	55	1
Johnson	180	177	3	178	2
Laramie	1,329	1,229	100	1,315	14
Lincoln	301	295	6	297	4
Natrona	1,766	1,748	18	1,745	21
Niobrara	37	36	1	37	-
Park	553	552	1	552	1
Platte	126	121	5	121	5
Sheridan	640	640	-	640	-
Sublette	5	3	2	-	5
Sweetwater	1,019	1,003	16	1,016	3
Teton	310	306	4	307	3
Uinta	222	219	3	219	3
Washakie	238	227	11	236	2
Weston	162	162	-	162	-
Yellowstone NP	-	-	-	-	-

TABLE 14

Deaths and Rates
by County of Residence
Wyoming, 1978-1982

Residence	1978		1979		1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	8.7	--	8.5	--	8.8	--	8.7	--	8.6
Wyoming	3,112	7.1	3,063	6.7	3,215	6.8	3,162	6.5	3,183	6.5
Albany	160	5.8	142	5.0	175	6.0	154	5.3	148	5.4
Big Horn	120	10.5	124	10.7	109	9.2	109	9.1	124	10.2
Campbell	78	3.7	95	4.2	88	3.6	119	3.9	117	3.6
Carbon	164	8.4	177	8.6	162	7.4	154	7.2	145	7.0
Converse	83	6.7	91	6.6	95	6.8	78	5.5	79	6.0
Crook	47	9.3	34	6.6	38	7.2	40	7.4	28	5.1
Fremont	223	6.1	274	7.3	296	7.6	278	7.1	277	7.4
Goshen	106	9.0	97	8.1	117	9.7	130	10.7	136	11.3
Hot Springs	69	12.5	73	13.1	70	12.3	75	13.2	71	12.5
Johnson	75	12.1	56	8.7	70	10.4	65	9.6	65	9.6
Laramie	479	7.3	455	6.9	492	7.2	479	6.9	478	6.8
Lincoln	79	7.0	82	7.2	79	6.5	96	7.4	82	6.2
Natrona	450	6.7	373	5.4	386	5.4	427	5.7	401	5.3
Niobrara	36	12.5	34	11.7	42	14.4	35	11.5	36	11.8
Park	132	6.3	172	8.1	168	7.8	137	6.2	168	7.4
Platte	89	7.3	72	5.1	95	7.9	75	6.8	89	9.5
Sheridan	241	10.2	214	8.8	217	8.7	210	8.2	238	9.0
Sublette	35	8.0	33	7.4	23	5.1	23	5.0	29	6.3
Sweetwater	226	5.6	210	5.1	233	5.6	243	5.5	227	5.1
Teton	26	3.1	29	3.4	38	4.1	37	3.9	36	3.4
Uinta	73	6.3	82	6.8	83	6.4	67	4.2	77	3.9
Washakie	63	7.0	72	7.8	67	7.1	75	7.7	67	6.9
Weston	58	8.5	71	10.2	71	10.0	56	7.1	64	8.0
Yellowstone NP	-	--	1	--	1	--	-	--	1	--

TABLE 15

Deaths by Sex, Race, Age,
and County of Residence
Wyoming, 1982

	Total	Age Group											
		Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
Wyoming	3,183	109	17	33	130	133	130	235	450	670	692	583	1
Sex													
Male	1,859	57	7	21	100	101	91	146	303	429	362	242	-
Female	1,324	52	10	12	30	32	39	89	147	241	330	341	1
Race													
White	3,112	104	17	33	124	123	126	227	437	663	680	577	1
Black	13	2	-	-	-	-	1	-	2	3	3	2	-
Indian	54	3	-	-	6	9	3	8	10	3	9	3	-
Other	4	-	-	-	-	1	-	-	1	1	-	1	-
Residence													
Albany	148	3	-	3	8	5	3	4	23	36	30	33	-
Big Horn	124	1	-	4	7	3	4	5	14	28	30	28	-
Campbell	117	6	1	2	8	10	8	17	12	20	23	10	-
Carbon	145	9	1	-	6	7	5	13	26	31	30	17	-
Converse	79	2	1	1	2	6	4	10	12	14	15	12	-
Crook	28	-	2	-	2	2	1	5	4	4	4	4	-
Fremont	277	20	1	-	13	19	12	23	44	53	49	43	-
Goshen	136	2	-	-	3	-	6	9	16	30	34	36	-
Hot Springs	71	-	1	1	4	3	4	4	12	12	16	14	-
Johnson	65	1	-	-	2	1	1	5	7	12	15	21	-
Laramie	478	14	-	6	9	13	17	36	68	103	112	100	-
Lincoln	82	4	1	2	7	3	2	6	12	17	18	10	-
Natrona	401	13	2	3	18	16	17	36	57	76	98	65	-
Niobrara	36	1	-	1	1	-	-	3	4	8	10	8	-
Park	168	3	-	-	6	8	4	9	19	42	31	46	-
Platte	89	3	-	2	2	5	3	2	15	27	21	9	-
Sheridan	238	7	1	-	2	4	6	13	33	55	54	63	-
Sublette	29	-	-	1	1	1	2	1	6	7	7	3	-
Sweetwater	227	7	1	4	14	18	16	22	32	39	50	23	1
Teton	36	1	-	-	4	2	3	2	9	7	6	2	-
Uinta	77	9	3	2	5	4	2	5	8	16	10	13	-
Washakie	67	1	1	-	3	1	4	2	12	19	13	11	-
Weston	64	2	1	1	3	2	6	3	4	14	16	12	-
Yellowstone NP	1	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 16

Deaths by Selected Cause
and County of Residence
Wyoming, 1982

Residence	Total	Malignant Neoplasms 140-208	Diabetes Mellitus 250	Heart Disease 390-398, 402, 404-429	Cerebrovascular Disease 430-438	Arteriosclerosis 440	Pneumonia and Influenza 480-487	Chronic Pulmonary Disease 490-496	Ulcer of the Stomach and Duodenum 531-533	Chronic Liver Disease and Cirrhosis 571	Nephritis and Nephrosis 580-589	Complication of Pregnancy, Childbirth & the Puerperium 630-676	Congenital Anomalies 740-759	Certain Conditions of the Perinatal Period 760-779	Accidents (Total) E800-E949	Motor Vehicle Accidents E810-E825	Suicide E950-E959	Homicide E960-E978	All Other Causes
Wyoming	3,183	580	45	1,047	213	30	105	143	23	44	26	1	42	37	323	192	95	37	392
Albany	148	27	3	51	15	2	4	5	-	2	1	-	3	1	17	11	1	1	15
Big Horn	124	28	4	43	6	-	3	2	-	-	4	1	-	-	17	11	4	-	12
Campbell	117	24	2	26	8	1	3	6	1	3	1	-	1	3	20	14	4	1	13
Carbon	145	35	1	41	8	7	1	4	-	4	-	-	2	3	17	15	4	3	15
Converse	79	16	1	25	7	-	3	1	-	1	-	-	-	1	8	5	2	3	11
Crook	28	9	-	5	4	-	-	1	-	-	-	-	-	-	6	6	-	-	3
Fremont	277	43	1	95	12	4	4	14	2	3	2	-	7	10	31	16	11	4	34
Goshen	136	23	2	63	9	2	1	7	2	2	1	-	-	-	3	2	3	-	18
Hot Springs	71	16	-	20	6	-	6	3	-	1	2	-	-	-	9	3	2	-	6
Johnson	65	18	-	17	5	1	2	1	1	1	1	-	-	-	7	5	1	1	9
Laramie	478	85	11	179	28	2	12	29	4	9	5	-	5	4	30	14	11	4	60
Lincoln	82	19	-	24	1	-	1	-	1	1	-	-	1	1	7	6	5	4	17
Natrona	401	73	7	124	26	1	13	27	3	5	3	-	4	6	34	23	20	5	50
Niobrara	36	6	1	20	1	-	1	1	1	-	-	-	-	-	3	1	-	-	2
Park	168	28	3	58	17	3	7	5	1	2	1	-	2	1	17	13	2	-	21
Platte	89	14	3	19	12	1	2	11	-	-	-	-	2	-	13	10	1	-	11
Sheridan	238	43	1	78	15	2	27	8	4	5	2	-	3	2	12	5	5	3	28
Sublette	29	5	-	12	1	2	-	1	-	-	-	-	-	-	4	2	-	1	3
Sweetwater	227	28	2	72	17	1	6	8	-	5	1	-	3	2	35	16	11	3	33
Teton	36	8	1	6	1	-	-	-	-	-	-	-	-	-	11	6	2	-	7
Uinta	77	8	-	30	2	-	4	2	1	-	-	-	6	2	10	4	1	1	10
Washakie	67	12	1	20	7	1	4	2	1	-	1	-	2	-	4	3	2	2	8
Weston	64	11	1	19	5	-	1	5	1	-	1	-	1	1	8	2	3	1	6
Yellowstone NP	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 17
Leading Cause of Death by Age Group
Wyoming, 1982

Cause of Death	Number Deaths	Percent of Total
ALL AGES		
Disease of the Heart	1,047	32.9
Malignant Neoplasms	580	18.2
Accidents	323	10.1
Cerebrovascular Disease	213	6.7
Chronic Pulmonary Disease	143	4.5
All Other Causes	877	27.6
Total	3,183	100.0
UNDER 1 YEAR		
Congenital Anomalies	31	28.4
Sudden Infant Death Syndrome	16	14.7
Respiratory Distress Syndrome	9	8.3
Other Respiratory Conditions	9	8.3
Immaturity	6	5.5
All Other Causes	38	34.9
Total	109	100.0
1 - 4 YEARS		
Accidents	12	70.6
Congenital Anomalies	1	5.9
Malignant Neoplasms	1	5.9
All Other Causes	3	17.6
Total	17	100.0
5 - 14 YEARS		
Accidents	17	51.5
Congenital Anomalies	3	9.1
Malignant Neoplasms	3	9.1
Pneumonia and Influenza	2	6.1
All Other Causes	8	24.2
Total	33	100.0
15- 24 YEARS		
Accidents	84	64.6
Suicide	21	16.2
Homicide	8	6.2
Malignant Neoplasms	4	3.1
Disease of the Heart	2	1.5
All Other Causes	11	8.5
Total	130	100.0
25 - 34 YEARS		
Accidents	75	56.4
Suicide	21	15.8
Homicide	8	6.0
Malignant Neoplasms	7	5.3
Disease of the Heart	5	3.8
All Other Causes	17	12.8
Total	133	100.0
35 - 44 YEARS		
Accidents	37	28.5
Suicide	21	16.2
Disease of the Heart	18	13.8
Malignant Neoplasms	16	12.3
Homicide	9	6.9
All Other Causes	29	22.3
Total	130	100.0
45 - 54 YEARS		
Malignant Neoplasms	73	31.1
Disease of the Heart	63	26.8
Accidents	24	10.2
Chronic Liver Disease and Cirrhosis	13	5.5
Suicide	10	4.3
All Other Causes	52	22.1
Total	235	100.0
55 - 64 YEARS		
Disease of the Heart	151	33.6
Malignant Neoplasms	130	28.9
Accidents	29	6.4
Chronic Liver Disease and Cirrhosis	19	4.2
Chronic Pulmonary Disease	18	4.0
All Other Causes	103	22.9
Total	450	100.0
65 - 74 YEARS		
Disease of the Heart	258	38.5
Malignant Neoplasms	183	27.3
Chronic Pulmonary Disease	50	7.5
Cerebrovascular Disease	41	6.1
Pneumonia and Influenza	16	2.4
All Other Causes	122	18.2
Total	670	100.0
75 YEARS & OVER		
Disease of the Heart	547	42.9
Malignant Neoplasms	162	12.7
Cerebrovascular Disease	140	11.0
Pneumonia and Influenza	71	5.6
Chronic Pulmonary Disease	69	5.4
All Other Causes	286	22.4
Total	1,275	100.0

TABLE 18

Resident Deaths by
Selected Cause and Age
Wyoming, 1982

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	3,183	109	17	33	130	133	130	235	450	670	692	583	1
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	1	1	-
Residual of infectious and parasitic diseases	24	2	-	-	1	1	1	1	6	4	4	4	-
Malignant neoplasms (140-208)	580	1	1	3	4	7	16	73	130	183	111	51	-
Digestive organs and peritoneum (150-159)	146	-	-	-	-	1	5	18	35	45	23	19	-
Respiratory and intrathoracic organs (160-165)	154	-	-	-	-	-	1	16	42	58	25	12	-
Breast (174-175)	55	-	-	-	-	1	6	9	10	20	8	1	-
Genital organs (179-187)	70	-	-	-	-	1	1	10	12	20	17	9	-
Urinary organs (188-189)	24	-	-	1	-	-	-	3	7	5	6	2	-
Leukemia (204-208)	15	-	-	1	-	-	-	-	3	2	7	2	-
Other malignant neoplasms	116	1	1	1	4	4	3	17	21	33	25	6	-
Diabetes mellitus (250)	45	-	-	-	-	2	-	5	2	13	13	10	-
Major cardiovascular diseases (390-448)	1,325	2	-	1	3	5	26	74	168	308	382	356	-
Diseases of heart (390-398, 402, 404-429)	1,047	2	-	1	2	5	18	63	151	258	301	246	-
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	1	-	4	4	3	-	-	-
Hypertensive heart disease (402, 404)	18	-	-	-	-	-	-	2	2	2	5	7	-
Ischemic heart disease (410-414)	733	-	-	-	-	3	8	44	117	180	223	158	-
Other heart disease (415-429)	284	2	-	1	2	1	10	13	28	73	73	81	-
Hypertension (401, 403)	10	-	-	-	-	-	-	-	-	2	5	3	-
Cerebrovascular disease (430-438)	213	-	-	-	1	-	6	9	16	41	54	86	-
Arteriosclerosis (440)	30	-	-	-	-	-	1	1	1	1	9	17	-
Other cardiovascular disease (441-448)	25	-	-	-	-	-	1	1	-	6	13	4	-
Pneumonia and influenza (480-487)	105	2	-	2	1	1	-	3	9	16	23	48	-
Chronic obstructive pulmonary disease (490-496)	143	-	-	-	-	2	1	3	18	50	53	16	-
Ulcer of stomach and duodenum (531-533)	23	-	-	-	-	-	-	-	4	6	8	5	-
Chronic liver disease and cirrhosis (571)	44	-	-	-	-	1	1	13	19	7	3	-	-
Nephritis and nephrosis (580-589)	26	-	-	1	-	-	-	1	1	4	9	10	-
Complications of pregnancy, childbirth and the puerperium (630-676)	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	42	31	1	3	1	-	1	1	-	3	1	-	-
Certain conditions of the perinatal period (760-779)	37	37	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	45	18	1	-	-	-	1	2	-	4	7	12	-
All other diseases	268	12	2	3	3	6	13	22	46	47	58	56	-
Motor vehicle accidents (E810-E825)	193	2	9	10	67	49	17	14	14	7	3	1	-
Other accidents (E800-E807, E826-E949)	130	2	3	7	17	26	20	10	15	6	11	13	-
Suicide (E950-E959)	95	-	-	1	21	21	21	10	11	7	3	-	-
Homicide and legal intervention (E960-E978)	37	-	-	1	8	8	9	1	6	2	2	-	-
All other external causes (E980-E999)	18	-	-	1	3	4	3	2	1	3	-	-	1

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 19

Male Resident Deaths by
Selected Cause and Age
Wyoming, 1982

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	1,859	57	7	21	100	101	91	146	303	429	362	242	-
Syphilis (090-097)	2	-	-	-	-	-	-	-	-	-	1	1	-
Residual of infectious and parasitic diseases	16	-	-	-	1	1	1	1	5	2	3	2	-
Malignant neoplasms (140-208)	319	-	-	1	3	3	5	33	79	102	63	30	-
Digestive organs and peritoneum (150-159)	86	-	-	-	-	-	3	14	22	29	10	8	-
Respiratory and intrathoracic organs (160-165)	106	-	-	-	-	-	-	9	28	39	21	9	-
Breast (174-175)	1	-	-	-	-	-	-	-	-	1	-	-	-
Genital organs (179-187)	44	-	-	-	-	-	-	1	8	13	14	8	-
Urinary organs (188-189)	13	-	-	-	-	-	-	1	5	2	4	1	-
Leukemia (204-208)	9	-	-	1	-	-	-	-	2	2	3	1	-
Other malignant neoplasms	60	-	-	-	3	3	2	8	14	16	11	3	-
Diabetes mellitus (250)	25	-	-	-	-	2	-	3	2	6	6	6	-
Major cardiovascular diseases (390-448)	737	1	-	1	2	3	20	57	124	211	196	122	-
Diseases of heart (390-398, 402, 404-429)	621	1	-	1	1	3	14	50	113	183	164	91	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	-	1	-	2	3	1	-	-	-
Hypertensive heart disease (402, 404)	8	-	-	-	-	-	-	1	1	1	3	2	-
Ischemic heart disease (410-414)	455	-	-	-	-	2	7	39	91	131	121	64	-
Other heart disease (415-429)	151	1	-	1	1	-	7	8	18	50	40	25	-
Hypertension (401, 403)	4	-	-	-	-	-	-	-	-	1	2	1	-
Cerebrovascular disease (430-438)	84	-	-	-	1	-	4	5	10	21	17	26	-
Arteriosclerosis (440)	10	-	-	-	-	-	1	1	1	1	3	3	-
Other cardiovascular disease (441-448)	18	-	-	-	-	-	1	1	-	5	10	1	-
Pneumonia and influenza (480-487)	50	2	-	1	1	-	-	1	5	11	10	19	-
Chronic obstructive pulmonary disease (490-496)	105	-	-	-	-	1	1	2	10	41	36	14	-
Ulcer of stomach and duodenum (531-533)	12	-	-	-	-	-	-	-	2	5	4	1	-
Chronic liver disease and cirrhosis (571)	26	-	-	-	-	1	1	6	14	3	1	-	-
Nephritis and nephrosis (580-589)	8	-	-	-	-	-	-	-	1	1	2	4	-
Congenital anomalies (740-759)	19	14	-	2	1	-	-	-	-	2	-	-	-
Certain conditions of the perinatal period (760-779)	20	20	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	22	12	1	-	-	-	-	-	-	2	4	3	-
All other diseases	143	6	-	1	1	3	7	15	22	23	28	37	-
Motor vehicle accidents (E810-E825)	140	1	4	7	51	36	12	12	10	6	1	-	-
Other accidents (E800-E807, E826-E949)	96	1	2	7	13	23	18	8	12	5	4	3	-
Suicide (E950-E959)	81	-	-	-	19	18	17	7	10	7	3	-	-
Homicide and legal intervention (E960-E978)	26	-	-	-	5	7	6	1	6	1	-	-	-
All other external causes (E980-E999)	12	-	-	1	3	3	3	-	1	1	-	-	-

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 20

Female Resident Deaths by
Selected Cause and Age
Wyoming, 1982

	Total	Under 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Not Stated
All causes	1,324	52	10	12	30	32	39	89	147	241	330	341	1
Residual of infectious and parasitic diseases	8	2	-	-	-	-	-	-	1	2	1	2	-
Malignant neoplasms (140-208)	261	1	1	2	1	4	11	40	51	81	48	21	-
Digestive organs and peritoneum (150-159)	60	-	-	-	-	1	2	4	13	16	13	11	-
Respiratory and intrathoracic organs (160-165)	48	-	-	-	-	-	1	7	14	19	4	3	-
Breast (174-175)	54	-	-	-	-	1	6	9	10	19	8	1	-
Genital organs (179-187)	26	-	-	-	-	1	1	-	4	7	3	1	-
Urinary organs (188-189)	11	-	-	1	-	-	-	2	2	3	2	1	-
Leukemia (204-208)	6	-	-	-	-	-	-	-	1	-	4	1	-
Other malignant neoplasms	56	1	1	1	1	1	1	9	7	17	14	3	-
Diabetes mellitus (250)	20	-	-	-	-	-	-	2	-	7	7	4	-
Major cardiovascular diseases (390-448)	588	1	-	-	1	2	6	17	44	97	186	234	-
Diseases of heart (390-398, 402, 404-429)	426	1	-	-	1	2	4	13	38	75	137	155	-
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	2	1	2	-	-	-
Hypertensive heart disease (402, 404)	10	-	-	-	-	-	-	1	1	1	2	5	-
Ischemic heart disease (410-414)	278	-	-	-	-	1	1	5	26	49	102	94	-
Other heart disease (415-429)	133	1	-	-	1	1	3	5	10	23	33	56	-
Hypertension (401, 403)	6	-	-	-	-	-	-	-	-	1	3	2	-
Cerebrovascular disease (430-438)	129	-	-	-	-	-	2	4	6	20	37	60	-
Arteriosclerosis (440)	20	-	-	-	-	-	-	-	-	-	6	14	-
Other cardiovascular disease (441-448)	7	-	-	-	-	-	-	-	-	1	3	3	-
Pneumonia and influenza (480-487)	55	-	-	1	-	1	-	2	4	5	13	29	-
Chronic obstructive pulmonary disease (490-496)	38	-	-	-	-	1	-	1	8	9	17	2	-
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	-	-	2	1	4	4	-
Chronic liver disease and cirrhosis (571)	18	-	-	-	-	-	-	7	5	4	2	-	-
Nephritis and nephrosis (580-589)	18	-	-	1	-	-	-	1	-	3	7	6	-
Complications of pregnancy, childbirth and the puerperium (630-676)	1	-	-	-	1	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	23	17	1	1	-	-	1	1	-	1	1	-	-
Certain conditions of the perinatal period (760-779)	17	17	-	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions (780-799)	23	6	-	-	-	-	1	2	-	2	3	9	-
All other diseases	125	6	2	2	2	3	6	7	24	24	30	19	-
Motor vehicle accidents (E810-E825)	53	1	5	3	16	13	5	2	4	1	2	1	-
Other accidents (E800-E807, E826-E949)	34	1	1	-	4	3	2	2	3	1	7	10	-
Suicide (E950-E959)	14	-	-	1	2	3	4	3	1	-	-	-	-
Homicide and legal intervention (E960-E978)	11	-	-	1	3	1	3	-	-	1	2	-	-
All other external causes (E980-E999)	6	-	-	-	-	1	-	2	-	2	-	-	1

NOTE: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 21

Accidental Deaths
Occurring in Wyoming
by Age and Sex
1982

Type of Accident	Total	Male	Female	0-4		5-14		15-24		25-44		45-64		65-74		75+	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total Accidental Deaths	361	272	89	8	7	12	4	79	21	103	24	44	8	17	5	9	20
Occupational Deaths (except motor vehicle)	20	20	-	-	-	-	-	7	-	11	-	2	-	-	-	-	-
Agriculture	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mining, quarrying, oil and gas wells	9	9	-	-	-	-	-	4	-	4	-	1	-	-	-	-	-
Construction	5	5	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-
Manufacturing	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Transportation and public utilities	4	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-
Trade	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Service	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Government	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other and unspecified industry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Home Deaths	49	31	18	3	2	3	-	3	2	9	3	8	2	1	1	4	8
Poisonings (except gas)	6	4	2	-	-	1	-	-	-	2	2	1	-	-	-	-	-
Poisonings by gases and vapors	7	4	3	-	-	-	-	2	1	1	-	1	-	-	1	-	1
Falls	15	9	6	1	-	1	-	-	-	-	-	3	-	1	-	3	6
Fires	4	3	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-
Drowning	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation, ingested food or object	6	3	3	-	1	-	-	-	-	-	-	2	2	-	-	1	-
Suffocation, mechanical	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Firearms	3	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
Other and unspecified home accidents	5	3	2	-	-	1	-	-	1	2	-	-	-	-	-	-	1
Motor Vehicle Deaths	216	158	58	4	5	5	3	53	18	59	20	24	5	11	4	2	3
Injury to pedestrian	22	14	8	2	3	2	1	5	-	4	2	-	-	1	2	-	-
Injury to pedal cyclist	2	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Injury to rider of animal or occupant of animal drawn vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Collision with railroad train	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Collision with other motor vehicle	68	46	22	1	1	1	1	14	6	15	9	14	2	1	1	-	2
Collision with fixed object	10	6	4	-	-	-	-	2	1	2	2	1	1	1	-	-	-
Noncollision	103	80	23	1	1	-	1	29	10	34	7	9	2	5	1	2	1
Other and unspecified accidents	9	8	1	-	-	2	-	2	1	2	-	-	-	2	-	-	-
Public Deaths (except motor vehicle)	75	63	12	1	-	4	1	16	1	24	1	10	1	5	-	3	8
Railroad (not with motor vehicle)	6	6	-	-	-	-	-	-	-	2	-	2	-	-	-	2	-
Other road vehicle (not with motor vehicle)	3	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
Water transportation	5	4	1	-	-	1	-	-	-	2	1	-	-	1	-	-	-
Air transportation	14	13	1	-	-	1	1	3	-	5	-	4	-	-	-	-	-
Falls	17	10	7	-	-	-	-	3	-	4	-	3	-	-	-	-	7
Fires	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	10	10	-	1	-	-	-	5	-	4	-	-	-	-	-	-	-
Firearms	6	6	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-
Other and unspecified public accidents	14	11	3	-	-	1	-	3	1	4	-	1	1	1	-	1	1
Type of Accident Unspecified	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 22

Infant Deaths by
Age and County of Residence
Wyoming, 1982

Residence	Infant	Neonatal	Under 7 Days	7-27 Days	28 Days - 1 Year
Wyoming	109	65	60	5	44
Albany	3	3	3	-	-
Big Horn	1	-	-	-	1
Campbell	6	4	4	-	2
Carbon	9	4	4	-	5
Converse	2	1	1	-	1
Crook	-	-	-	-	-
Fremont	20	14	13	1	6
Goshen	2	1	1	-	1
Hot Springs	-	-	-	-	-
Johnson	1	-	-	-	1
Laramie	14	9	8	1	5
Lincoln	4	2	1	1	2
Natrona	13	7	6	1	6
Niobrara	1	-	-	-	1
Park	3	2	2	-	1
Platte	3	3	2	1	-
Sheridan	7	4	4	-	3
Sublette	-	-	-	-	-
Sweetwater	7	4	4	-	3
Teton	1	-	-	-	1
Uinta	9	5	5	-	4
Washakie	1	1	1	-	-
Weston	2	1	1	-	1
Yellowstone NP	-	-	-	-	-

TABLE 23

Infant and Neonatal Deaths
by County of Residence
Wyoming, 1978-1982

Residence	Infant						Neonatal					
	1978	1979	1980	1981	1982	Rate* 78-82	1978	1979	1980	1981	1982	Rate* 78-82
Wyoming	113	129	104	121	109	11.3	70	82	68	76	65	7.1
Albany	5	6	4	4	3	9.2	2	3	2	1	3	4.6
Big Horn	2	4	-	8	1	12.0	2	4	-	5	-	8.8
Campbell	6	7	3	16	6	10.9	3	4	1	9	4	6.0
Carbon	8	9	4	8	9	15.1	2	4	2	4	4	6.3
Converse	3	2	2	5	2	8.6	2	1	1	4	1	5.5
Crook	1	2	2	4	-	14.6	1	2	1	3	-	11.3
Fremont	6	13	16	10	20	14.4	4	5	8	5	14	8.0
Goshen	1	2	4	7	2	15.3	1	2	3	6	1	12.5
Hot Springs	1	4	2	-	-	14.0	1	3	2	-	-	12.0
Johnson	-	1	2	-	1	6.5	-	-	2	-	-	3.2
Laramie	22	12	14	9	14	10.8	13	11	9	8	9	7.6
Lincoln	4	5	4	7	4	13.5	2	3	4	3	2	7.9
Natrona	18	20	11	17	13	10.2	12	13	7	11	7	6.5
Niobrara	1	2	1	1	1	24.0	-	1	1	1	-	12.0
Park	4	6	1	2	3	7.8	4	5	1	2	2	6.8
Platte	2	-	1	3	3	9.1	1	-	-	-	3	4.0
Sheridan	2	2	2	3	7	7.2	2	2	1	3	4	5.4
Sublette	1	3	-	-	-	9.3	-	3	-	-	-	7.0
Sweetwater	15	16	17	7	7	11.4	11	9	13	3	4	7.4
Teton	-	3	3	2	1	11.9	-	3	3	1	-	9.2
Uinta	5	5	6	4	9	13.4	2	1	4	3	5	6.9
Washakie	-	4	3	2	1	9.8	-	3	2	2	1	7.9
Weston	6	1	2	2	2	15.6	5	-	1	2	1	10.8
Yellowstone NP	-	-	-	-	-	-	-	-	-	-	-	-

*per 1,000 live births.

TABLE 24

Resident Infant Deaths by
Selected Cause and Age at Death
Wyoming, 1982

	Total Infant	Neonatal	Under 7 Days	7-27 Days	28 Days -1 Year
All Causes	109	65	60	5	44
Infectious and parasitic diseases (001-139)	2	-	-	-	2
Congenital anomalies (740-759)	31	23	20	3	8
Certain conditions originating in the perinatal period (760-779)	37	36	35	1	1
Newborn affected by maternal conditions (760)	1	1	1	-	-
Newborn affected by maternal complications of pregnancy (761)	5	5	5	-	-
Newborn affected by complications of placenta, cord and membranes (762)	1	1	1	-	-
Newborn affected by other complications of labor and delivery (763)	1	1	1	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	6	6	6	-	-
Intrauterine hypoxia and birth asphyxia (768)	1	1	1	-	-
Respiratory distress syndrome (769)	9	9	9	-	-
Other respiratory conditions of newborn (770)	9	9	8	1	-
Neonatal hemorrhage (772)	1	1	1	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9, 776.1-779)	3	2	2	-	1
Sudden infant death syndrome (798.0)	16	-	-	-	16
Accidents and adverse effects (E800-E949)	4	-	-	-	4
All other causes	19	6	5	1	13

Note: Code numbers following selected causes refer to the Ninth Revision of the International Classification of Diseases.

TABLE 25

Stillbirths by
County of Residence
Wyoming, 1978-1982

Residence	1978	1979	1980	1981	1982
Wyoming	67	65	81	93	92
Albany	5	4	3	3	3
Big Horn	-	2	3	5	3
Campbell	2	1	-	8	6
Carbon	4	1	3	2	3
Converse	-	4	2	3	4
Crook	-	-	-	2	1
Fremont	8	6	7	13	8
Goshen	1	-	4	3	2
Hot Springs	1	1	-	1	2
Johnson	-	2	-	1	3
Laramie	9	11	7	8	7
Lincoln	1	1	2	3	5
Natrona	11	8	19	14	12
Niobrara	1	-	-	-	-
Park	1	3	4	3	-
Platte	3	4	1	2	1
Sheridan	2	1	8	3	3
Sublette	-	-	1	1	3
Sweetwater	7	11	14	12	15
Teton	-	2	-	-	3
Uinta	7	-	1	4	5
Washakie	1	2	-	1	3
Weston	3	1	1	1	-
Yellowstone NP	-	-	1	-	-

TABLE 26

Births and Deaths
by County of Occurrence
Wyoming, 1978-1982

Occurrence	1978		1979		1980		1981		1982	
	Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths	Births	Deaths
Wyoming	8,168	3,050	9,067	2,952	9,813	3,083	10,104	3,024	10,174	3,033
Albany	589	165	709	158	663	182	725	150	633	144
Big Horn	133	93	164	102	140	86	166	74	177	92
Campbell	274	72	357	74	489	72	642	106	707	92
Carbon	309	150	286	161	346	135	338	153	305	123
Converse	248	86	285	87	313	82	269	60	260	64
Crook	55	19	71	17	58	20	61	23	70	16
Fremont	773	232	892	270	994	284	916	277	884	257
Goshen	205	92	227	81	227	86	201	103	194	109
Hot Springs	78	54	72	73	65	73	79	80	56	63
Johnson	179	74	172	57	170	62	182	68	180	63
Laramie	1,110	522	1,210	506	1,311	538	1,331	521	1,329	554
Lincoln	247	68	240	59	272	50	268	56	301	65
Natrona	1,416	447	1,516	367	1,616	388	1,737	417	1,766	405
Niobrara	24	28	27	26	39	38	35	32	37	30
Park	425	129	431	160	481	154	516	115	553	160
Platte	112	70	155	58	178	79	149	59	126	70
Sheridan	583	258	575	222	604	248	587	212	640	254
Sublette	2	29	5	20	1	18	3	10	5	26
Sweetwater	744	222	861	192	993	222	970	229	1,019	191
Teton	197	46	208	49	240	54	273	62	310	58
Uinta	167	74	198	82	203	84	219	82	222	76
Washakie	184	59	289	69	278	57	271	75	238	56
Weston	113	44	115	57	131	64	166	47	162	50
Yellowstone NP	1	17	2	5	1	7	-	13	-	15

TABLE 27

Marriages and Rates
by County of Occurrence
Wyoming, 1978-1982

Occurrence	1978		1979		1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	10.3	--	10.4	--	10.6	--	10.6	--	10.8
Wyoming	6,298	14.3	6,459	14.2	6,868	14.6	7,057	14.5	6,799	13.9
Albany	314	11.3	338	12.0	328	11.3	335	11.5	334	12.1
Big Horn	104	9.1	102	8.8	128	10.8	116	9.6	133	10.9
Campbell	283	13.6	275	12.2	335	13.7	404	13.3	382	11.7
Carbon	259	13.3	315	15.3	287	13.1	318	14.8	294	14.2
Converse	179	14.4	223	16.1	233	16.6	204	14.5	207	15.6
Crook	55	10.9	63	12.2	76	14.3	58	10.8	72	13.2
Fremont	463	12.6	528	14.1	505	13.0	490	12.5	428	11.4
Goshen	208	17.6	189	15.9	204	16.9	213	17.6	205	17.0
Hot Springs	93	16.8	69	12.4	82	14.4	88	15.5	70	12.3
Johnson	94	15.2	94	14.7	116	17.3	119	17.6	109	16.1
Laramie	1,102	16.9	1,093	16.5	1,108	16.1	1,082	15.6	1,075	15.4
Lincoln	112	10.0	89	7.8	142	11.7	139	10.8	133	10.1
Natrona	994	14.8	982	14.3	1,034	14.4	1,111	14.7	1,009	13.4
Niobrara	40	13.9	38	13.1	37	12.7	32	10.5	42	13.8
Park	364	17.3	380	17.8	376	17.4	409	18.5	387	16.9
Platte	118	9.7	147	10.4	128	10.7	126	11.4	130	13.9
Sheridan	338	14.3	352	14.4	408	16.3	402	15.7	382	14.5
Sublette	57	13.0	54	12.2	73	16.1	63	13.7	67	14.5
Sweetwater	387	9.6	422	10.3	488	11.7	472	10.6	495	11.2
Teton	356	43.0	349	40.9	394	42.1	456	48.2	428	40.9
Uinta	162	14.0	148	12.2	176	13.5	190	12.0	190	9.6
Washakie	106	11.7	111	12.0	108	11.4	133	13.7	122	12.6
Weston	99	14.5	89	12.8	89	12.5	88	11.2	87	10.9
Yellowstone NP	11	--	9	--	13	--	9	--	18	--

TABLE 28

Marriages by Month
and County of Occurrence
Wyoming, 1982

Occurrence	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Wyoming	6,799	411	454	404	488	627	772	765	772	578	476	464	588
Albany	334	13	16	15	19	39	38	39	59	27	23	15	31
Big Horn	133	6	10	8	11	14	14	20	12	10	8	4	16
Campbell	382	24	36	25	29	25	34	39	47	34	30	30	29
Carbon	294	20	16	12	26	24	36	30	37	26	24	14	29
Converse	207	7	16	15	12	22	24	26	22	19	15	11	18
Crook	72	7	-	2	3	7	8	12	13	5	4	5	6
Fremont	428	28	24	34	36	35	47	46	42	30	34	36	36
Goshen	205	13	13	14	16	15	20	24	26	17	13	15	19
Hot Springs	70	1	9	3	3	4	8	13	3	8	5	7	6
Johnson	109	9	7	4	6	8	12	13	15	10	5	8	12
Laramie	1,075	70	71	77	73	116	113	120	110	72	69	84	100
Lincoln	133	6	14	8	7	8	19	15	9	19	13	10	5
Natrona	1,009	74	74	62	77	98	133	98	103	76	53	71	90
Niobrara	42	2	5	5	-	5	5	2	7	3	-	3	5
Park	387	29	19	18	39	36	36	42	46	40	31	23	28
Platte	130	8	12	7	11	14	15	11	8	13	10	6	15
Sheridan	382	22	19	18	31	37	38	35	49	37	30	33	33
Sublette	67	-	6	3	1	4	8	9	13	9	5	3	6
Sweetwater	495	40	34	28	38	47	46	55	43	35	38	40	51
Teton	428	13	27	23	25	33	57	69	56	51	37	19	18
Uinta	190	8	11	13	13	17	30	20	18	18	11	11	20
Washakie	122	5	9	7	10	14	16	15	17	7	10	5	7
Weston	87	6	6	3	2	4	15	7	10	8	7	11	8
Yellowstone NP	18	-	-	-	-	1	-	5	7	4	1	-	-

TABLE 29

Marriages by Age of Groom
and Age of Bride
Wyoming Occurrence, 1982

Age of Groom	Total	Age of Bride												
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70+
Total	6,799	2	1,516	2,248	1,272	744	438	236	141	95	45	30	14	18
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	574	1	462	100	10	1	-	-	-	-	-	-	-	-
20-24	2,211	1	847	1,084	210	54	12	2	1	-	-	-	-	-
25-29	1,594	-	154	736	495	155	40	12	-	2	-	-	-	-
30-34	971	-	39	217	346	244	98	25	1	1	-	-	-	-
35-39	557	-	10	74	135	173	116	37	8	3	1	-	-	-
40-44	333	-	2	23	49	71	97	66	18	7	-	-	-	-
45-49	212	-	2	6	16	34	45	50	40	14	3	2	-	-
50-54	139	-	-	3	7	8	16	28	41	29	2	4	1	-
55-59	80	-	-	3	3	2	12	13	14	21	9	3	-	-
60-64	58	-	-	2	1	2	2	2	11	9	16	8	2	3
65-69	34	-	-	-	-	-	-	-	3	7	9	6	5	4
70+	36	-	-	-	-	-	-	1	4	2	5	7	6	11

TABLE 30

Marriages by Age and Previous Marital Status of Bride and Groom
Wyoming Occurrence, 1982

Age	Bride					Groom				
	Total	Previous Marital Status				Total	Previous Marital Status			
		Single	Widowed	Divorced	Not Stated		Single	Widowed	Divorced	Not Stated
Total	6,799	3,833	199	2,738	29	6,799	3,965	144	2,670	20
Under 15	2	2	-	-	-	-	-	-	-	-
15-19	1,516	1,461	1	47	7	574	567	-	7	-
20-24	2,248	1,649	12	578	9	2,211	1,959	-	248	4
25-29	1,272	561	19	687	5	1,594	988	7	595	4
30-34	744	112	25	604	3	971	321	13	633	4
35-39	438	27	19	389	3	557	80	7	468	2
40-44	236	13	17	206	-	333	27	11	294	1
45-49	141	2	25	114	-	212	5	11	196	-
50-54	95	3	23	69	-	139	8	17	113	1
55-59	45	-	14	30	1	80	1	12	66	1
60-64	30	2	16	11	1	58	6	18	31	3
65-69	14	1	10	3	-	34	1	21	12	-
70+	18	-	18	-	-	36	2	27	7	-

TABLE 31

Divorces and Annulments with Rates
by County of Occurrence
Wyoming, 1978-1982

Occurrence	1978		1979		1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	--	5.1	--	5.3	--	5.2	--	5.3	--	5.1
Wyoming	3,130	7.1	3,510	7.7	4,003	8.5	4,145	8.5	3,961	8.1
Albany	153	5.5	164	5.8	217	7.5	217	7.4	186	6.8
Big Horn	53	4.6	53	4.6	88	7.4	71	5.9	63	5.2
Campbell	144	6.9	156	6.9	223	9.2	248	8.2	270	8.3
Carbon	144	7.4	185	9.0	188	8.6	172	8.0	189	9.1
Converse	81	6.5	88	6.3	113	8.0	98	7.0	97	7.3
Crook	17	3.4	20	3.9	24	4.5	22	4.1	20	3.7
Fremont	233	6.4	275	7.3	311	8.0	277	7.1	284	7.6
Goshen	69	5.8	67	5.6	84	7.0	64	5.3	68	5.6
Hot Springs	46	8.3	24	4.3	25	4.4	54	9.5	27	4.7
Johnson	33	5.3	40	6.2	52	7.8	46	6.8	33	4.9
Laramie	623	9.5	697	10.5	645	9.4	756	10.9	653	9.3
Lincoln	44	3.9	66	5.8	70	5.7	85	6.6	91	6.9
Natrona	658	9.8	760	11.1	861	12.0	863	11.4	845	11.3
Niobrara	12	4.2	8	2.8	17	5.8	9	3.0	22	7.2
Park	134	6.4	139	6.5	137	6.3	157	7.1	153	6.7
Platte	70	5.7	59	4.2	108	9.0	90	8.2	78	8.4
Sheridan	140	5.9	202	8.3	202	8.1	209	8.2	187	7.1
Sublette	15	3.4	31	7.0	21	4.6	23	5.0	30	6.5
Sweetwater	262	6.5	252	6.1	323	7.7	372	8.4	329	7.4
Teton	65	7.9	67	7.8	81	8.7	85	9.0	86	8.2
Uinta	38	3.3	67	5.5	95	7.3	116	7.3	137	6.9
Washakie	52	5.8	55	6.0	65	6.8	66	6.8	62	6.4
Weston	44	6.5	35	5.0	53	7.5	45	5.7	51	6.4

TABLE 32

Divorces and Annulments by Duration of Marriage and County of Occurrence
Wyoming, 1982

Occurrence	Total	Duration in Years											
		Under 1	1	2	3	4	5-9	10-14	15-19	20-24	25-29	30 & Over	Not Stated
Wyoming	3,961	375	522	486	383	309	953	407	256	126	81	57	6
Albany	186	21	21	20	12	14	50	23	13	6	3	1	2
Big Horn	63	4	6	5	7	6	13	7	11	2	1	1	-
Campbell	270	14	45	31	23	21	70	41	17	6	2	-	-
Carbon	189	20	22	21	18	17	45	28	12	2	4	-	-
Converse	97	8	12	9	9	9	20	18	7	2	1	2	-
Crook	20	3	2	2	2	1	3	1	4	1	1	-	-
Fremont	284	20	35	34	32	23	66	28	22	12	6	6	-
Goshen	68	8	8	11	7	4	16	6	1	4	1	2	-
Hot Springs	27	4	3	3	4	2	3	3	4	-	-	1	-
Johnson	33	1	2	1	6	5	9	4	2	1	1	1	-
Laramie	653	71	90	89	61	35	140	62	53	25	12	15	-
Lincoln	91	11	15	13	5	9	23	6	3	3	2	1	-
Natrona	845	92	119	95	74	73	216	82	41	23	17	9	4
Niobrara	22	2	7	2	1	-	4	4	1	-	-	1	-
Park	153	18	17	21	14	5	36	11	9	12	4	6	-
Platte	78	9	6	6	6	4	28	10	3	2	-	4	-
Sheridan	187	13	27	22	17	18	44	23	14	4	3	2	-
Sublette	30	2	1	2	6	1	8	5	1	2	1	1	-
Sweetwater	329	24	42	50	31	27	97	27	13	4	11	3	-
Teton	86	6	6	14	14	6	10	8	10	7	5	-	-
Uinta	137	15	23	17	13	17	32	4	10	2	3	1	-
Washakie	62	5	8	12	12	6	10	3	3	2	1	-	-
Weston	51	4	5	6	9	6	10	3	2	4	2	-	-

TABLE 33

Divorces and Annulments by Number of Children Affected and County of Occurrence
Wyoming, 1982

Occurrence	Total	Number of Children*						
		None	One	Two	Three	Four	Five & Over	Not Stated
Wyoming	3,961	1,742	988	824	242	70	22	73
Albany	186	92	46	30	11	3	3	1
Big Horn	63	25	14	11	7	2	1	3
Campbell	270	97	70	72	21	5	1	4
Carbon	189	78	52	46	7	4	2	-
Converse	97	41	26	12	13	4	-	1
Crook	20	6	7	4	3	-	-	-
Fremont	284	99	76	70	30	9	-	-
Goshen	68	30	14	15	5	2	-	2
Hot Springs	27	12	2	9	2	2	-	-
Johnson	33	11	9	9	2	2	-	-
Laramie	653	312	167	123	34	12	3	2
Lincoln	91	40	25	17	7	2	-	-
Natrona	845	402	210	177	34	7	9	6
Niobrara	22	8	7	4	1	2	-	-
Park	153	71	43	32	7	-	-	-
Platte	78	19	14	18	-	1	2	24
Sheridan	187	89	44	36	16	2	-	-
Sublette	30	14	4	9	2	1	-	-
Sweetwater	329	141	75	74	24	4	-	11
Teton	86	46	18	10	2	1	-	9
Uinta	137	65	29	21	10	4	-	8
Washakie	62	28	17	11	4	1	1	-
Weston	51	16	19	14	-	-	-	2

*Children under 18 in the family.